

L Number	Hits	Search Text	DB	Time stamp
1	0	color with codeword with (index or indices) with bitmap	USPAT; DERWENT	2003/07/24 12:30
4	1	color with codeword with (index or indices)	USPAT; DERWENT	2003/07/24 12:31
7	0	codeword with (index or indices) with bitmap	USPAT; DERWENT	2003/07/24 12:31
10	4	codeword and ((index or indices) with bitmap)	USPAT; DERWENT	2003/07/24 12:31
13	4	(codeword and ((index or indices) with bitmap)) and color	USPAT; DERWENT	2003/07/24 12:31

	U	1	Document ID	Issue Date	Page s	Title
1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6567559 B1	20030520	19	Hybrid image compression with compression ratio control
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6529633 B1	20030304	21	Parallel difference coding method for lossless compression and real time decompression
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5956431 A	19990921	28	System and method for fixed-rate block-based image compression with inferred pixel values
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5586196 A	19961217	49	Digital document magnifier

	Current OR	Current XRef	Retrieval 1 Classif	Inventor	S	C	P	2	3
1	382/239	358/1.15; 382/228; 382/245		Easwar, Venkat V.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	382/239	358/462; 382/233		Easwar, Venkat V. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	382/253	382/166; 382/232; 382/233		Iourcha, Konstantine I. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	382/114	348/63		Sussman, Michael	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	4	5	Image Doc. Displayed	PT
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6567559	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6529633	<input type="checkbox"/>
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5956431	<input type="checkbox"/>
4	<input type="checkbox"/>	<input type="checkbox"/>	US 5586196	<input type="checkbox"/>

L Number	Hits	Search Text	DB	Time stamp
1	49	codeword and bitmap and index	USPAT; DERWENT	2003/07/24 12:11
4	40	(codeword and bitmap and index) and color	USPAT; DERWENT	2003/07/24 11:55
7	40	((codeword and bitmap and index) and color) and stor\$4	USPAT; DERWENT	2003/07/24 12:08
10	1166	stor\$4 with codeword	USPAT; DERWENT	2003/07/24 12:09
13	0	(stor\$4 with codeword) and (stor\$4 with bitmap with index)	USPAT; DERWENT	2003/07/24 12:09
16	74	stor\$4 with bitmap with index	USPAT; DERWENT	2003/07/24 12:10
19	1	(stor\$4 with bitmap with index) and codeword	USPAT; DERWENT	2003/07/24 12:09
22	74	stor\$4 with bitmap with (index or indices)	USPAT; DERWENT	2003/07/24 12:10
25	1	(stor\$4 with bitmap with (index or indices)) and codeword	USPAT; DERWENT	2003/07/24 12:11
28	1	((stor\$4 with bitmap with (index or indices)) and codeword) and color	USPAT; DERWENT	2003/07/24 12:11
31	0	codeword with bitmap with (index or indices)	USPAT; DERWENT	2003/07/24 12:13
34	1	codeword with bitmap with (index or indices)	EPO; JPO	2003/07/24 12:14
37	0	(codeword with bitmap with (index or indices)) and color	EPO; JPO	2003/07/24 12:14

**IEEE Xplore[®]**
RELEASE 1.5Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#)[Quick Links](#)[» Search Results](#)[IEEE Peer Review](#)Welcome to IEEE Xplore[®]Your search matched **[0]** of **[955082]** documents.

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

OR

Use your browser's back button to return to your original search page.

Results:

No documents matched your query.

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

Welcome to IEEE Xplore[®]

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Quick Find an Author:

Enter a last name to quickly locate articles by that author.

Note: You may enter a partial name if your are unsure of the spelling.

OR

Select a letter to browse the author list

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL

No Authors Found with beginning letter: lourcha

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved


[Search Home](#) - [Yahoo!](#) - [Help](#)
Your Search:

[Advanced Web Search](#)
[Preferences](#)

[Web](#) | [Directory](#) | [News](#) NEW! | [Yellow Pages](#) | [Images](#)


TOP 19 WEB RESULTS out of about 19

1. [Color Image Coding and Indexing using BTC \(PDF\)](#)

... We study a number of single **bitmap** BTC techniques ... computer systems to store/transmit and **index**/manage the ... decoding) to be used as image **indices** for effective ...
www.cs.nott.ac.uk/~qiu/Online/IEEE-Trans-IP-Jan-2001.pdf [view as html](#)
2. [Compression \(PDF\)](#)

... LZ78 encoding of "i miss mississippi": (**codeword**,char) pairs ... Uniform Encoding: A simple **bitmap** encoding consists of the ... Use short codewords to **index** colors in ...
puma.wellesley.edu/~cs231/fall01/compression.pdf [view as html](#)
3. [Compressing Images for the Internet \(PDF\)](#)

... if there were no constraints on the **codeword** lengths. ... the various formats as follows: * raw: raw **bitmap**, stored at ... pixel to an adaptive 8-bit **index** table, then ...
www.hpl.hp.com/techreports/97/HPL-97-163.pdf [view as html](#)
4. [Introduction to Digital Communication 5N500 incomplete draft \(PDF\)](#)

... CHAPTER 2. SOURCE CODING In order to be able to decode, ie to reproduce the source sequence from the code sequence, we must assign a unique **codeword** to every ...
www.ics.ele.tue.nl/~fwillems/InIDigCom/dictaat.pdf [view as html](#)
5. [The JPEG2000 Standard \(PDF\)](#)

... the conversion of a graphic into a **bitmap** image. ... 2 (3) Figure 14: Example calculation of the quantizer **index** ... the matrix of code block quantization **indices** in a ...
www.lkn.ei.tum.de/studium/mmprog/jpeg2000/content.pdf [view as html](#)
6. [Citations: Coding and Information Theory - Hamming \(...\)](#)

... to the case of a **bitmap** of k Gamma 2 from d Gamma 2 members, with the reduced **index** value value ... Once the length of the **codeword** is determined, the actual **codeword** is ...
citeseer.nj.nec.com/context/31877/0 [cached](#)
7. [Octave Repository Function List](#)


... offset into the array to retain the appropriate time **index**. ... In general the **codeword** length n can be expressed as ... `bmpwrite(X,map,file)` Write the **bitmap** X into ...
octave.sourceforge.net/afunclist.html [cached](#)
8. <http://okmij.org/ftp/papers/DCC96Impressions.ps.gz> (POSTSCRIPT)


... 2-5 secs onPentium for a 512x512 **bitmap**. ... implementation of LZ, with an **index** into a ... probabilities, the Huffman algorithm calculates **codeword** lengths (rather ...
okmij.org/ftp/papers/DCC96Impressions.ps.gz [view as html](#)
9. [C - CBI \(PDF\)](#)


... A possible solution for engineering image compression is to perform a raster-to- vector conversion (RVC), where the **bitmap** image is segmented into CAD ...
www.cs.joensuu.fi/pages/ageenko/public/other/ea_phd00.pdf
10. [SPIE Proceedings Vol. 3460](#)


... map drawing commands rather than the rendered **bitmap** data by ... property, ie the number of a


codeword to be ... We define a parameter called Activity **Index** (AI) of ...
www.spie.org/web/abstracts/3400/3460.html [cached](#)


11. [Threshold Model for Gesture Spotting \(MICROSOFT WORD\)](#) 
 ... A feature vector is converted to a **codeword** by vector ... that as time increases the state **index** increases or ... within object area using the saved **bitmap** of the hand ...
ai.kaist.ac.kr/Publication/Paper/PhD_Th.doc [view as html](#)


12. [Compression Techniques used in The Database](#) 
 ... length encoding is supported by most **bitmap** file formats ... characters needs at least one-bit **codeword** no matter ... Note that exact-match **index** lookups are possible ...
mail.alquds.edu/~s0010263/Term%20Paper.htm [cached](#)


13. [MPEGCS22 Decoder User's Guide D201167-004 Nov. 18, 1997 \(PDF\)](#) 
 ... Tone **Indices** and Frequencies ... 8 bits/pixel Direct **color** (16 bits per pixel **bitmap**) * Input interface ... The number of bits assigned to each **codeword** is variable ...
tivo.samba.org/download/tridge/dec-cs22-usrapgd.pdf [view as html](#)


14. [An Analytical Study on Image Databases \(PDF\)](#) 
 ... systems lack the capability and the flexibility to satisfactorily **index** and search ... can be done by extracting image features, such as **color**, shape, texture, and ...
scanner-group.mit.edu/PDFS/FangF.pdf [view as html](#)

15. [SET REDUNDANCY, THE ENHANCED COMPRESSION MODEL, AND METHODS FOR ... \(PDF\)](#) 
 Page 1. SET REDUNDANCY, THE ENHANCED COMPRESSION MODEL, AND METHODS FOR COMPRESSING SETS OF SIMILAR IMAGES A Dissertation Submitted ...
bit.csc.lsu.edu/~kosmas/Dissertation.pdf [view as html](#)

16. [MPEGCS22 Decoder User's Guide D201167-004 Nov. 18, 1997 \(PDF\)](#) 
 ... Tone **Indices** and Frequencies ... bits/pixel – Direct **color** (16 bits per pixel **bitmap**) • Input interface ... The number of bits assigned to each **codeword** is variable ...
public.planetmirror.com/pub/linux/tivo/tridge/dec-cs22-usrapgd.pdf [view as html](#)

17. <http://www.swiftview.com/support/tiff6.ps> (POSTSCRIPT) 
 ... of the component is used as an **index** into the ... by TIFFFillOrder = 1, used in most **bitmap** interchange and ... line is exactly completable by a **codeword**, making the ...
www.swiftview.com/support/tiff6.ps [view as html](#)

18. <http://cvs2.cons.org/ftp-area/cmucsl/src/hemlock/spell-dictionary.text> 
 ... BITCH/M/S BITE/G/R/S/Z BITINGLY **BITMAP**/S BITMAPPED ... S COD CODE/D/R/Z/G/J/S **CODEWORD**/M/S ... INDEPENDENT/Y/S INDESCRIBABLE INDETERMINACY/M/S INDETERMINATE/Y **INDEX**/D/G ...
cvs2.cons.org/ftp-area/cmucsl/src/hemlock/spell-dictionary.text [cached](#)

19. <http://www.informatik.uni-giessen.de/reports/Report9503.ps.gz> (POSTSCRIPT) 
 ... Arbeitsgruppe Informatik Universit. " at Giessen. Arndtstr. 2, D-35392 Giessen, Germany. 5. Theorietag ". Automaten und Formale Sprachen". ...
www.informatik.uni-giessen.de/reports/Report9503.ps.gz [view as html](#)

[Web](#)

[Directory](#)

[News](#) NEW!

[Yellow Pages](#)

[Images](#)

Search for all of these words:

[Search](#)

Also search in: Yahoo! Shopping

Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Ad Feedback](#) - [Search Feedback](#)

Search Technology provided by Google